


Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section.

Released
November 28, 1933.

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

OCTOBER 1, 1933.

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,008,635,000 pounds on October 1, 1933 compared with 2,095,011,000 pounds on October 1, 1932. This is a decrease in the total stocks of 86,376,000 pounds under the stocks on a year ago October 1. From July 1, 1933 to October 1, 1933 total stocks decreased 90,402,000 pounds while during the same period of 1932 the decrease amounted to 143,727,000 pounds.

Stocks of flue-cured tobacco on hand October 1, 1933 amounted to 605,710,000 pounds compared with 720,508,000 pounds on October 1, 1932, a decrease of 114,798,000 pounds. The stocks of Type 11 on October 1, 1933 were reported as 226,842,000 pounds; Type 12 as 184,902,000 pounds; Type 13 as 128,104,000 pounds; and Type 14 as 65,862,000 pounds.

Stocks of fire-cured tobacco were reported as 196,439,000 pounds on October 1, 1933 compared with 194,889,000 pounds on October 1, 1932. Total fire-cured stocks were about 1 1/2 million pounds higher than they were a year ago on October 1 and about 37 million pounds lower than on July 1, 1933. Virginia Fire-cured, Type 21, stocks reported as 26,906,000 pounds on October 1 were about 5 million pounds lower than a year ago. Type 22, reported as 138,565,000 pounds showed an increase of about 19 million pounds over the October 1, 1932 stocks but Type 23 stocks at 26,962,000 pounds were about 12 million pounds lower. Stocks of Henderson Stemming, Type 24, were reported as 4,006,000 pounds on October 1, 1933.

Burley stocks were about 29 million pounds higher on October 1 than they were a year ago. The October 1, 1933 report shows 615,930,000 pounds on hand compared with 586,560,000 pounds on October 1, 1932. The decrease in Burley stocks during the third quarter of 1933 amounted to 61,659,000 pounds compared with a decrease of 64,606,000 pounds during the same quarter of 1932. Maryland tobacco stocks reached a record high on October 1, 1933. The report shows a total for this type of 40,488,000 pounds. This is an increase of about 10 million pounds over the previous years stocks and an increase of about 12 million pounds over the previous quarter.

One-Sucker stocks on October 1 amounted to 30,461,000 pounds, about 6 million pounds lower than on July 1, 1933 and about 3 million pounds lower than a year ago October 1. Green River stocks reported 36,574,000 pounds on October 1 were about the same as a year ago. Virginia Sun-cured stocks totaled 3,241,000 pounds, Miscellaneous Domestic, 2,065,000 pounds, and foreign-grown cigarette tobacco stocks 76,807,000 pounds on October 1, 1933.

OCTOBER 1, 1933 CIGAR LEAF TOBACCO STOCKS.

Stocks of American grown cigar filler types amounted to 173,488,000 pounds on October 1, 1933, compared with 187,807,000 pounds on October 1, 1932, a decrease in these types of 14,319,000 pounds. Type 41, Penn. Seedleaf stocks on October 1, 1933 were 99,312,000 pounds; Type 42 Gebhardt 20,865,000 pounds; Type 43, Zimmer 25,772,000 pounds; Type 44, Dutch 7,986,000 pounds; Type 45, Ga. and Fla. Sun-grown 1,722,000 pounds; and Type 46, Porto Rican 17,831,000 pounds. About 76 per cent of the total filler type stocks reported are shown in the C group in the detailed report.

The cigar binder type stocks were about 1 1/2 million pounds higher on October 1, 1933 than they were on October 1, 1932. Total binder type stocks were reported as 200,451,000 pounds on October 1, 1933. Of this total 37,450,000 pounds were Type 51, Conn. Broadleaf; 35,048,000 pounds Type 52, Conn. Havana Seed; 3,761,000 pounds, Type 53, N. Y. and Pa. Havana Seed; 74,171,000 pounds Type 54, Southern Wisconsin; and 50,021,000 pounds Type 55, Northern Wisconsin. The detailed report by groups of grades shows that of the total binder type stocks reported 4,535,000 pounds are of wrapper quality, 72,893,000 pounds are binders, 12,503,000 pounds are fillers, and 110,103,000 pounds are stemming grade, or X group tobacco.

Shade-grown wrapper type stocks were slightly lower on October 1 than they were a year ago. Conn. Valley Shade stocks were reported as 10,730,000 pounds, and Ga. and Fla. Shade as 4,634,000 pounds on October 1, 1933. Of the total of 15,364,000 pounds of shade tobacco reported 9,953,000 pounds are shown in the A group as being of actual wrapper quality.

Foreign-grown cigar leaf tobacco stocks were reported as 11,617,000 pounds on October 1, 1933, compared with 12,963,000 pounds on October 1, 1932.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf,
and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
~~X-Lugs~~
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs, or Cutters
X-Trash, Flyings and Spods
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as
Dull Crop
C-Thin Leaf, locally known as
Bright Crop
X-Seconds and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 41:

B-Binders or Tops
C-Fillers, locally known as
Wrappers or B's
X-Stemming, Farm Fillers, Ground
Leaves, and crops unsuitable
for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming, Farm Fillers, Ground
Leaves and crops unsuitable for
sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 45:

C-Fillers
X-Stemming, Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 46:

C-Tripas or Fillers
X-Resagos, Terceros, Boliches, and
crops unsuitable for sorting.
S-Scrap (Picadura), as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, locally known as Seconds
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers,
Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers,
Bottom Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Binders
C-Fillers, or Tips
X-Trashy Fillers or Loose Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

* For definitions of Scrap and Nondescript see Service and Regulatory
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES
OCTOBER 1, 1933.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	3,787	-	115	-	3,902	5,017
B	28,973	2,780	1,540	363	33,656	44,480
C	46,064	10,612	964	131	57,771	66,515
X	107,542	14,713	268	172	122,695	139,684
S	8,531	44	10	5	8,590	7,936
N	160	-	68	-	228	395*
Total	195,057	28,149	2,965	671	226,842	264,027*

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	522	-	-	-	522	169
B	23,440	670	200	122	24,432	23,209
C	44,060	14,198	5,175	233	63,666	64,244
X	77,406	12,404	1,513	47	91,370	92,562
S	4,627	10	11	-	4,648	5,318
N	264	-	-	-	264	304
Total	150,319	27,282	6,899	402	184,902	185,806

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	2,369	-	-	-	2,369	1,022
B	15,811	268	111	58	16,848	10,785
C	36,128	3,679	331	-	40,138	31,228
X	56,723	9,398	797	-	66,918	43,917
S	1,691	-	-	16	1,707	1,740
N	124	-	-	-	124	77
Total	112,846	13,945	1,239	74	128,104	88,769

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	849	-	-	-	849	55
B	8,667	2,707	-	-	11,374	2,564
C	4,434	24,340	35	7	28,866	23,444
X	10,942	12,797	288	59	24,086	13,226
S	643	7	-	-	650	255
N	37	-	-	-	37	11
Total	25,622	39,851	323	66	65,862	39,555

(Figures rounded to nearest thousand pounds)

* Corrections in July 1 Report.

U. S. TYPE 21.--VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	584	-	5	-	589	837
B	3,709	176	2,225	-	6,110	7,574
C	1,296	62	66	-	1,424	1,981
X	16,458	237	1,514	2	18,211	20,622
S	496	6	21	-	523	450
N	49	-	-	-	49	50
Total	22,592	481	3,831	2	26,906	31,514

U. S. TYPE 22.--TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S.)

A	10,175	18	18	-	10,211	3,140
B	79,475	66	185	-	79,726	83,058
C	15,187	23	11	-	15,221	14,598
X	30,304	36	69	-	30,409	43,146
S	2,633	11	17	-	2,661	2,902
N	337	-	-	-	337	1,467
Total	138,111	154	300	-	138,565	148,311

U. S. TYPE 23.--KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P.)

A	191	3	12	-	206	220
B	16,912	161	3	6	17,082	26,556
C	3,591	-	-	-	3,591	5,473
X	5,349	1	17	-	5,367	14,498
S	469	2	2	-	473	1,152
N	243	-	-	-	243	158
Total	26,755	167	34	6	26,962	48,057

U. S. TYPE 24.--HENDERSON STEMMING OR NORTHERN FIRE-CURED.

B	1,563	7	-	-	1,570	1,844
C	885	-	-	-	885	1,031
X	1,346	6	2	-	1,354	2,560
S	158	-	-	-	158	123
N	39	-	-	-	39	47
Total	3,991	13	2	-	4,006	5,605

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,627	1	9	-	1,637	1,606
B	287,587	49,580	89	549	337,805	371,362*
C	161,072	17,422	863	450	179,807	196,970
X	75,664	9,015	120	-	84,799	91,978*
S	9,865	425	38	-	10,328	12,333*
N	1,534	-	20	-	1,554	3,340
Total	537,349	76,443	1,139	999	615,930	677,589*

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	15,315	22	-	-	15,337	9,107
C	15,553	999	-	-	16,552	11,242
X	8,036	156	3	-	8,195	7,869
S	35	3	-	-	38	128
N	366	-	-	-	366	98
Total	39,305	1,180	3	-	40,488	28,444

U. S. TYPE 35.-ONE SUCKER

A	1,081	-	19	-	1,100	1,164
B	11,386	-	79	-	11,465	14,179
C	9,093	-	49	-	9,142	10,014
X	6,685	149	63	-	6,897	9,321
S	870	-	-	-	870	823
N	960	-	27	-	987	1,176
Total	30,075	149	237	-	30,461	36,677

U. S. TYPE 36.-GREEN RIVER

A	255	-	-	-	255	345
B	14,519	186	10	-	14,715	16,562
C	1,343	1	71	-	1,415	2,045
X	19,060	258	27	-	19,345	21,595
S	803	19	15	3	840	945
N	4	-	-	-	4	16
Total	35,984	464	123	3	36,574	41,508

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	263	-	-	-	263	273
B	327	88	1	-	416	465
C	584	-	45	-	629	232
X	765	943	38	102	1,848	2,152
S	85	-	-	-	85	106
Total	2,024	1,031	84	102	3,241	3,228

(Figures rounded to nearest thousand pounds)

* Corrections in July 1, report.

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP		OLD CROP		October 1	July 1.
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	411	5	-	-	416	1,014
C	73,289	1,983	658	131	76,061	74,001*
X	19,071	2,965	533	-	22,569	24,243*
S	22	244	-	-	266	262*
Total	92,793	5,197	1,191	131	99,312	99,520*

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	14,068	890	507	33	15,498	16,835
X	5,265	31	21	-	5,317	5,026
S	7	35	-	3	45	64
N	5	-	-	-	5	5
Total	19,345	956	528	36	20,865	21,930

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	17,563	926	562	13	19,064	19,096
X	6,481	104	-	-	6,585	7,662
S	80	40	-	3	123	155
Total	24,124	1,070	562	16	25,772	26,913

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	5,528	97	497	3	6,125	6,316
X	1,734	-	-	-	1,734	2,104
S	31	93	-	3	127	63
Total	7,293	190	497	6	7,986	8,483

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	720	995	1	-	1,716	1,833
X	1	-	-	-	1	2
S	1	3	1	-	5	4
Total	722	998	2	-	1,722	1,839

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	697	13,451	-	16	14,164	14,907
X	1,114	1,552	1	37	2,704	2,866
S	41	922	-	-	963	955
N	-	-	-	-	-	4
Total	1,852	15,925	1	53	17,831	18,732

(Figures rounded to nearest thousand pounds)

* Corrections in July 1 report.

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,731	8	248	-	1,987	2,399*
B	25,058	160	873	21	26,112	27,487*
C	3,159	200	119	9	3,487	2,805
X	3,155	2,573	32	-	5,760	6,196
S	21	81	-	-	102	74
N	2	-	-	-	2	-
Total	33,126	3,022	1,272	30	37,450	38,961*

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	2,463	17	38	-	2,518	2,320
B	24,030	73	981	-	25,139	27,367*
C	812	173	2	-	987	1,440
X	3,262	3,119	-	-	6,381	7,192
S	1	22	-	-	23	10
Total	30,618	3,409	1,021	-	35,048	38,320*

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	17	4	9	-	30	50
B	297	-	48	-	345	339
C	254	4	-	-	258	219
X	3,034	83	-	-	3,117	3,319
S	6	5	-	-	11	5
Total	3,608	96	57	-	3,761	3,932

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	4,744	75	1,038	52	5,909	8,046
C	3,701	111	2	-	3,814	2,366
X	59,505	4,754	5	91	64,355	65,989
S	55	2	-	-	57	94
N	35	-	-	-	36	24
Total	68,041	4,942	1,045	143	74,171	76,519

U. S. TYPE 55.-NORTHERN WISCONSIN

B	14,543	84	731	30	15,388	16,890
C	3,883	74	-	-	3,957	2,980
X	26,557	1,934	1	-	30,492	30,647
S	94	58	-	-	152	145
N	29	3	-	-	32	32
Total	47,106	2,153	732	30	50,021	50,706

(Figures rounded to nearest thousand pounds)

* Corrections in July 1 report.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	5,686	21	104	-	5,811	5,722*
B	3,445	72	28	-	3,545	3,872
C	560	101	445	-	1,106	679
X	69	45	-	-	114	81
S	12	142	-	-	154	98
Total	9,772	381	577	-	10,730	10,452*

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	4,112	2	28	-	4,142	3,456*
B	331	18	9	-	358	360
C	70	6	-	-	76	67
X	53	-	-	-	53	46
S	3	1	-	-	4	1
N	1	-	-	-	1	-
Total	4,570	27	37	-	4,634	3,930*

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups	1,356	505	119	85	2,065	2,043
-----------	-------	-----	-----	----	-------	-------

U. S. Type 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	4,449	6,753	270	145	11,617	11,479*
-----------	-------	-------	-----	-----	--------	---------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	71,559	8	5,240	-	76,807	86,179*
-----------	--------	---	-------	---	--------	---------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand	
	Unstemmed	Stemmed	Unstemmed	Stemmed	Total	Total
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
October 1, 1933	1,740,364	234,941	30,330	3,000	2,008,635	
July 1, 1933	1,838,715	220,645	36,025	3,652	2,099,037	

(Figures rounded to nearest thousand pounds)

* Corrections in July 1 report

Washington, D. C.
November 28, 1933.

TOBACCO STOCKS REPORT
LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS OCTOBER 1, 1933

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics, Tobacco Section

(Figures are in thousands of pounds)

TYPE NAME	NEW CROPS		OLD CROPS		TOTAL OF TYPE	
	U.S.:	NO.:	U.S.:	NO.:	U.S.:	NO.:
	Type: Crops of 1929, '30, '31, '32 & '33	UNSTEMMED	Type: Crops prior to 1929	UNSTEMMED	July 1, 1933	October 1, 1932
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
Old Belt Flue-cured Va. & N. C.	11	195,957	28,149	2,965	264,027*	291,097
Eastern N. C. Flue-cured	12	150,319	27,232	2,899	185,806	232,328
South Carolina Flue-cured (In- cluding Southeastern N.C.)	13	112,846	13,945	1,239	88,769	140,702
Georgia and Florida Flue-cured	14	25,622	39,851	323	39,555	53,381
Total Flue-cured	--	483,844	109,227	11,426	578,157*	745,207
Virginia Flue-cured	21	22,592	481	3,831	31,514	32,216
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	138,111	154	300	148,311	119,480
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	26,755	167	34	48,057	39,046
Senderson Stemming or Northern Fire-cured	24	3,991	13	2	5,605	4,147
Total Fire-cured	--	191,449	815	4,167	233,487	194,889
Burley	31	537,349	76,443	1,139	577,889*	586,560
Southern Maryland	32	39,305	1,180	3	28,444	30,670
Total Light Air-cured	--	576,654	77,623	1,142	706,933*	617,230
One Sucker	35	30,075	149	237	36,677	33,715
Green River	36	35,984	464	123	41,508	36,305
Va. Sun-cured	37	2,024	1,031	84	3,228	3,358
Total Dark Air-cured	--	68,083	1,644	444	81,413	73,373
Pennsylvania Seedleaf	41	92,793	5,197	1,191	99,520*	107,683
Gebhardt (Ohio-Miami Valley)	42	19,345	956	528	21,930	19,146
Zimmer (Ohio-Miami Valley)	43	24,124	1,070	562	26,913	27,670
Dutch (Ohio-Miami Valley)	44	7,293	190	497	8,483	10,947
Ca. and Fla. Sun-grown	45	722	998	2	1,722	1,839
Porto Rican Sun-grown	46	1,852	15,925	1	17,831	20,025
Total Cigar-Filler Types	--	146,129	24,336	2,781	177,417*	201,873
Conn. Valley Broadleaf	51	33,126	3,022	1,272	37,450	36,647
Conn. Valley Havana Seed	52	30,618	3,409	1,021	35,048	37,092
N. Y. and Pa. Havana Seed	53	3,608	96	57	3,761	3,881
Southern Wisconsin	54	68,041	4,942	1,045	74,171	73,918
Northern Wisconsin	55	47,106	2,153	732	50,021	47,355
Total Cigar Binder Types	--	182,499	13,622	4,127	200,451	198,893
Conn. Valley Shade	61	9,772	381	577	10,730	10,902
Ca. and Fla. Shade	62	4,570	27	37	4,634	5,162
Total Shade-grown	--	14,342	408	614	15,364	16,064
Miscellaneous Domestic	70	1,356	505	119	2,065	2,182
Foreign Cigar-Leaf	80	4,449	6,753	270	11,617	12,963
Foreign other than cigar leaf	90	71,559	8	5,240	76,807	86,179*
TOTAL ALL TYPES	--	1,740,364	234,941	30,330	2,099,037*	2,095,011

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1932, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the first session of the 72nd Congress as H. R. 9590.

* Corrections in July 1 report.

Wils A. Olsen, Chief
Bureau of Agricultural Economics.

